



SPECIFICATIONS

FOR

Greenhouse

Lake Land College District Number 517
Mattoon, Illinois 61938

PROJECT NO. 2019-006

Bid Date; April 1, 2019

SECTION 000101
TABLE OF CONTENTS

<u>SECTION</u>	<u>DESCRIPTION</u>
001113	Advertisement for Bids.
002113	Instructions to Bidders
004146	Bid Form
110113	Scope

END OF SECTION

SECTION 001113

ADVERTISEMENT FOR BIDS

Advertisement for Bids
Bids: April 1, 2019
LAKE LAND COLLEGE DISTRICT #517
MATTOON, ILLINOIS
Project No. 2019-006

The Lake Land College District Number 517 Board of Trustees will receive sealed bids for a 30' X 60' Greenhouse to be located within the Joliet Treatment Center, Joliet, IL.

Bids will be received until 2:00 PM Central Standard Time on Monday, April 1 2019 in the office of the Vice President for Business Services, in the Board and Administration Center on the campus of Lake Land College, 5001 Lake Land Boulevard, Mattoon, IL. Bids received after this time will not be accepted. Bids will be opened and publicly read immediately after the specified closing time. All interested parties are invited to attend. Obtain bidding documents/requirements at the office of the Vice President for Business Services, phone (217) 234-5224, bgleckler@lakelandcollege.edu.

The Board of Trustees reserves the right to waive irregularities and reject all bids or parts of bids.

Successful Bidders shall have the sole responsibility of complying with all aspects of existing Prevailing Wage Policies.

Dave Storm
Chairperson - Lake Land College Board of Trustees

SECTION 002113

INSTRUCTIONS TO BIDDERS

PART 1 GENERAL

1.01 DEFINITIONS

- A. Lake Land College Board of Trustees will be hereafter referred to in this Specification as “Owners” and all correspondence shall be addressed to: Bryan Gleckler, Vice President for Business Services, Lake Land College, 5001 Lake Land Blvd., Mattoon, IL 61938.
- B. A Bidder is a person or entity who submits a Bid to the Owner.
- C. Bidding Documents include the Advertisement for Bid, Instructions to Bidders, Bid Forms and supplements, and Addenda.
- D. Contract Documents include any Contract forms, Specifications, Drawings, Addenda, and modifications.
- E. An Agreement is a written agreement between the Owner and Contractor setting forth the obligations of the parties thereunder, including but not limited to the provision of the specified goods and materials, the basis of payment and the contract time.
- F. A Bid is a complete and properly signed proposal to provide the goods and services for the sums stipulated therein, submitted in accordance with the Bidding Documents.
- G. The Base Bid is the sum stated in the Bid for which the Bidder offers to provide the goods and services described in the Bidding Documents as the base, to which items may be added or from which items may be deleted for sums stated in Alternate Bids.
- H. An Alternate Bid is an amount stated in the Bid to be added to or deducted from the amount of the Base Bid if the corresponding changes in the items, as described in the Bidding Documents, are executed.
- I. A Unit Price is an amount stated in the Bid as a price per unit of measurement for goods or services as described in the Bidding Documents or in the proposed Contract Documents.

1.02 DOCUMENTS

- A. Copies of the Bidding Documents may be obtained at the Office of the Vice President for Business Services, 5001 Lake Land Boulevard, Mattoon, Illinois 61938, (217) 234-5224, bgleckler@lakelandcollege.edu.

SECTION 002113

1.03 EXAMINATION OF DOCUMENTS

- A. Bidders shall examine all documents. Failure to do so will not relieve a successful bidder of his obligation to provide all labor and materials necessary to carry out the provision of his contract for the sum stated thereon.
- B. Each Bidder, by submitting his bid represents that he has read and understands the bidding documents.

1.04 INTERPRETATIONS DURING BIDDING

- A. If any Bidder is in doubt as to the meaning of any part of the Bidding Documents, they may submit a written request to: Bryan Gleckler, Vice President for Business Services, 5001 Lake Land Boulevard, Mattoon, Illinois 61938, bgleckler@lakelandcollege.edu; for an interpretation of that part.
- B. Written requests for interpretations or clarifications must be made no later than five (5) working days prior to the Bid Date specified in the Advertisement for Bids.
- C. Any interpretation or change will be made only by Addenda numbered, dated, and issued by the Owner to each Bidder on record as having received a set of Bidding Documents and will be available for inspection wherever the Bidding Documents are kept available for that purpose. Lake Land College will not be responsible for any other explanations or interpretations of the Bidding Documents.

1.05 SUBSTITUTION OF PRODUCTS

- A. **MANUFACTURER'S TRADE NAMES ARE USED IN SPECIFICATIONS FOR THE EXPRESS PURPOSE OF ESTABLISHING A STANDARD OF QUALITY AND COORDINATION OF DESIGN, NOT FOR THE PURPOSE OF LIMITING COMPETITION.**
- B. All sizes of equipment must be as specified, and all pieces of equipment must include or have those features which are set forth in the specifications.
- C. No substitution will be considered unless a written request has been submitted with their bid.
- D. Bidders proposing substitutions in writing must submit detailed specifications with catalog cuts or manufacturer's literature, pictorially portraying that on which they are bidding for comparison to specified items by the Owner.
- E. Any additional explanation or statement which the Bidder wishes to make must be placed in the same envelope and attached to the proposal. Unless the Bidder so indicates, it is understood that the Bidder has bid in strict accordance with the specifications and drawings and has made no substitutions, modifications or additional stipulations.

SECTION 002113

- F. Bids shall not contain any recapitulation of the work to be done and no oral, telephone, facsimile or email proposals or modifications will be considered.

1.06 QUALIFICATION OF BIDDERS

- A. Bidders may be disqualified and their Bids not considered for any of the following specific reasons:
 - 1. Reason to believe collusion exists among Bidders.
 - 2. The Bidder being interested in any litigation against the Owner.
 - 3. The Bidder being in arrears on any existing contract or having defaulted on a previous contract.
 - 4. Lack of competency as revealed by the financial statement, experience, and equipment, questionnaires, or qualification statement.
 - 5. Uncompleted work, which in the judgment of the Owner will prevent or hinder the prompt completion of additional work if awarded.
- B. If requested, a Bidder shall submit to the Owner a confidential Financial Statement in a sealed envelope.

1.07 PREPARATION OF BID:

- A. All bids must be submitted on the bid form contained herein. (see Section 004146) Oral, telephone, facsimile, electronic mail, or telegraph bids will not be accepted.
- B. The Bidder shall base the bid on materials complying with the Bidding Documents, and shall list all information where the bid form requires.
- C. The blank spaces in the bid form shall be filled in correctly with ink or typewritten. A bid form containing an alteration or erasure of any price contained in the bid which is used in determining the lowest responsible bid shall be rejected unless the alteration or erasure is corrected as herein provided:
 - 1. An alteration or erasure must be crossed out and the correction printed in ink or typewritten adjacent to the alteration or erasure.
 - 2. The person signing the bid must initial the correction in ink.
 - 3. In the event that any price used in determining the lowest responsible bid is expressed by the Bidder in both written and numerical form, the written representation shall govern in all cases.
- D. If the bid form includes alternates, each Bidder shall bid on each alternate. Failure to comply may be cause for rejection.

SECTION 002113

- E. If an individual submits Bid, he or his duly authorized agent must sign his name. If a firm, association or partnership submits the Bid, the name, address and title of each member must be given, and an official or duly authorized agent must sign the Bid. Powers of attorney authorizing agents or others to sign Bids must be properly certified and must be in writing and submitted with the Bid.
- F. Bids from individuals or partnerships, if signed by an attorney-in-fact, shall have attached to the bid the power of attorney, evidencing the authority to sign the bid. If the bid is signed by any other legal entity, the authority of the person signing shall be attached to the bid.
- G. A W-9 Form is required with each bid submittal.

1.08 EXEMPTION FROM SALES TAX ON MATERIALS

- A. The Owner is exempted by Section Three of the Illinois Use Tax Act (Sec 3, House Bill 1610 approved July 31, 1961. IL. Rev. Stat. 1961, Chap. 120 Sec 439.3) from paying any of the taxes imposed by that act and sales to the Owner are exempt by Section Two of the Illinois Retailer's Occupation Tax Act (Section 2, House Bill 1609, Approved July 31, 1961 IL. Rev. Stat. 1961, Chap. 120 Sec. 441) from any of the taxes imposed by that Act.

1.09 IDENTIFICATION AND SUBMITTAL OF BID

- A. Each bid and all papers bound and attached to it shall be placed in an envelope and securely sealed therein. The envelope shall be plainly marked with the following:
 - 1. The word "BID"
 - 2. Name and address of the Bidder.
- B. The envelope of the bid shall be addressed to:

Lake Land College
C/O Bryan Gleckler
30' X 60' Greenhouse, Project # 2019-006
5001 Lake Land Boulevard
Mattoon, Illinois, 61938
- C. Bids shall be delivered before the time set for the opening of the bids. Bids arriving by mail or otherwise after the time designated for the opening of bids will be returned unopened. Oral, telephone, facsimile, electronic mail, or telegraph bids shall not be accepted.

1.10 MODIFICATION OR WITHDRAWAL OF BID

- A. A bid may not be modified after submittal. Bidders may withdraw a bid at any time before opening. A Withdrawal of a Bid must be made in writing or in person by a bidder or his duly authorized agent. If a firm, association or partnership

SECTION 002113

wishes to withdraw a bid, an official or duly authorized agent must sign the written request or appear in person.

- B. Once withdrawn, the bidder must submit a new bid prior to the opening in order to be considered.
- C. No Bid may be withdrawn or modified after the Bid opening except where the award of the Contract has been delayed beyond 60 days after date of Bid.

1.11 OPENING OF BIDS

- A. The Bids submitted will be opened at the time and place stated in the Advertisement for Bids and publicly read aloud and thereafter shall remain on file with the Owner.
- B. After Bids are opened, the Bids will be tabulated for comparison on the basis of the Bid prices and quantities shown on the Bids.
- C. The Owner reserves the right to withhold the award of the Contract for a period of 60 days from the date of the opening of Bids and no award will be made until the Owner is satisfied as to the responsibilities of the low Bidders.
- D. Until final award of the Contract, the Owner reserves the right to reject any or all Bids or proceed to do the work otherwise in the best interest of the Owner.

1.12 EVALUATION AND CONSIDERATION OF BIDS

- A. The Owner reserves the right to reject all bids or parts of bids, and to waive informalities therein.
- B. For the purpose of determining the lowest responsible bidder in the consideration of all bids submitted, the Owner reserves the right to accept or reject any or all alternates in the numerical order in which they appear on the bid form.

1.13 DISQUALIFICATION OF BIDDERS

- A. Bids will not be considered if they show any omissions, additions, alterations of form, conditions not requested unauthorized alternate Bids or irregularities of any kind. However, the Owner reserves the right to waive any irregularities and to make the award in the best interest of the Owner.
- B. The Bidder acknowledges the right of the Owner to reject any or all Bids and to waive any informality or irregularity in any Bid received. In addition, the Bidder recognizes the right of the Owner to reject a Bid if the Bidder fails to submit the data required by the Bidding Documents.

SECTION 002113

- C. For the purpose of determining the lowest responsible bidder in the consideration of all bids submitted, the Owner reserves the right to accept or reject any or all alternates in the numerical order in which they appear on the bid form.

1.14 APPLICABLE LAWS

- A. All applicable state laws, municipal ordinances, and the rules and regulations of all authorities having jurisdiction over the Work shall apply to the Contract throughout, and they will be deemed to be included in the Contract the same as though herein written out in full.
- B. Bidder's signatures shall be construed as acceptance of and willingness to comply with all provisions of the acts of the General Assembly of the State of Illinois relating to the Department of Human Rights Act, previously the Illinois Fair Employment Practices Act, Prevailing Wage Act for workers in our area, preference to citizens of the United States and residents of the State of Illinois, and discrimination and intimidation of employees. Provisions of said acts are hereby incorporated by reference and become a part of this proposal and specification.

1.15 EXECUTION OF THE AGREEMENT

- A. The successful Bidder, if awarded the Project, shall sign the necessary Agreements with the Owner and furnish Payment and Performance Bonds and Certificates of Insurance, if required elsewhere in this document, but no such Agreement shall be in force and effect until it is executed by all parties, and the Payment and Performance Bonds and Certificates of Insurance have been approved.
- B. Failure to execute and return the Agreement within ten (10) calendar days may result in the rescinding of the Contract award.

1.16 RECORDS:

- A. The Contractor shall maintain, for a minimum of 5 years after the completion of the contract, adequate books, records and supporting documents to verify the amounts, recipients, and uses of all disbursements of funds passing in conjunction with the contract; the contract and all books, records and supporting documents related to the Contract shall be available for review and audit, and the Contractor agrees to cooperate fully with any audit conducted and to provide full access to all relevant materials.

END OF SECTION

SECTION 004146

BID FORM

PROJECT

IDENTIFICATION: 30' X 60' Greenhouse, Project # 2019-006
BID TO: Board of Trustees
Lake Land College District Number #517
C/O Bryan Gleckler
Vice President for Business Services
5001 Lake Land Boulevard
Mattoon, Illinois, 61938

BID FROM: _____

The undersigned Bidder agrees, if this Bid is accepted, to enter into an Agreement with the Owner, in the form included in the Bidding Documents, to perform and furnish all materials, labor and equipment as specified or indicated in the Bidding Documents for the Bid Price and within the Bid Times indicated in this Bid and in accordance with the terms and conditions of the Contract Documents.

In submitting this Bid, Bidder represents that:

- A. This Bid will remain subject to acceptance for 60 days after the day of the bid opening.
B. The Owner has the right to reject this bid.
C. Bidder will sign and submit the Agreement with the Bonds and other documents as required by the Bidding requirements within 15 days after the Owner's Notice of Award. A W-9 Form is required.
D. Bidder has copies of all the Bidding Documents.
E. Bidder is familiar with federal, state and local laws and regulations.
F. Bidder has correlated the information known to Bidder with the Bidding Documents.
G. This Bid is genuine and not made in the interest of or on the behalf of an undisclosed person, firm or corporation and is not submitted in conformity with an agreement or rules of a group, association, organization or corporation; Bidder has not directly or indirectly induced or solicited another Bidder to submit a false or sham Bid; Bidder has not solicited or induced a person, firm or corporation to refrain from bidding; and Bidder has not sought by collusion to obtain for itself an advantage over another Bidder or over the Owner.
H. Bidder has received the following addenda receipt of which is hereby acknowledged.

Date Number

Bidder will provide all materials, labor and equipment as specified in accordance with the Contract Documents for the following price(s):

STIPULATED-SUM BID PRICE
(Base Bid - 30' X 60' Greenhouse) _____ Dollars (\$) _____
(use words) (figures)

Bidder agrees to provide all materials, labor and equipment, as specified, on or before the number of calendar days indicated below.

SUBMITTED on _____, 2019

Company _____

Address _____

No. of Working Days To Provide Specified Materials, Labor and Equipment _____
(Printed Name)

_____ Days Phone _____
Email _____

END OF SECTION

SECTION 110113

GREENHOUSE

PART 1 GENERAL

1.01 SCOPE

- A. The purpose of these specifications is to establish minimum standards and features for the purchase of a complete 30' X 60' Greenhouse. The Greenhouse shall meet all applicable codes, and other provisions as specified herein. Furnish parts, fittings, and any other accessories required, as specified, to provide complete and fully functioning Greenhouse, including ventilation and heating equipment, insect screen, environmental controls, doors, motorized shade, benches, and irrigation system.
- B. If a Bidder is unable to comply with any of the following specifications, the Bidder shall submit in writing the reason for noncompliance. Noncompliance with any specification is grounds for rejection of the entire bid. The buyer reserves the right to reject any bid which does not meet these specifications.
- C. **Bids shall be for product complete, delivered, including all shipping, handling and delivery fees and will have no hidden costs.**
- D. Bids shall include explicit technical information, if applicable, regarding electrical, plumbing, ventilation, special structural considerations or other accommodations required for the proper installation and operation of specified equipment.
- E. All equipment shall bear full manufacturers on-site warranty for a minimum of one year from the date of delivery to the Owner and shall include parts, labor and software upgrades. Please include detailed warranty information with bid.
- F. Provide on-site training for college personnel by certified instructor(s) to ensure a reasonable level of proficiency with all supplied equipment.
 - 1. All student and teacher materials, software, manuals, guides or other supplied materials or information shall be presented in a neat, orderly, and professional manner using binders, folders or other devices as necessary. Successful bidder will provide two complete sets of manuals, specific to the supplied units (Operation Manual, Maintenance Manual and Parts Manual).

1.02 QUALITY ASSURANCE

- A. Submit a list of special tools and test equipment required for maintenance and testing of the products supplied.
- B. All equipment shall have a nameplate that identifies the manufacturer's name, address, type or style, model or serial number, and catalog number.

SECTION 110113

1.03 GENERAL

- A. Items specified below are singular in quantity unless otherwise specified.

PART 2 PRODUCTS

2.01 Greenhouse

- A. Provide one (1) Conley Series 7500 structures or equivalent, 30' wide x 60' long gable style greenhouse, 1,800 square feet of greenhouse space. Engineered to meet 20lb Ground Snow Load and 110 MPH Wind Load.
- 1) Sidewall and endwall framing will be set for 8mm Lexan. Column and truss spacing is 10' on center, 10' eave height. The roof pitch is 6/12 set for 8mm Lexan. Included will be all truss members, roof purlins, all necessary bracing, fasteners, closures, and trims. Included will be sidewall framing and endwall framing set for 8mm Lexan. Columns set in concrete cussions.
NOTE: One sidewall shall be set 3' away from the school building and shall have a top cord extension. Sidewall next to the building will not have side girts or glazing. See attached drawing. Included will be 3"x3" flashing material from top cord extension to base board that supports gutter at the school building.
 - 2) Greenhouse accessory items included will be: Two (2) gutter end transitions. Two (2) gutter downspouts with splash blocks by greenhouse installer. Exhaust fan and shutter mounts. One (1) each 6' double x 6'-8" and one (1) each single 3' x 6'-8" AJ Commercial Series 51000 doors with frame, trim, weather stripping, Tell 600 door closures and Tell panic push bar hardware with lever. Doors will be complete and feature 22" x 22" insulated door lites (windows). Doors will be made from 24-gauge, hot-dipped, galvanized smooth steel with two coats of baked enamel paint.
 - 3) Glazing will include roof, one (1) sidewall and endwalls are glazed with 8mm Lexan™ Thermoclear™ 15. Lexan is a double-walled extruded polycarbonate sheet offering .58 U-Value thermal insulation, excellent impact resistance, 1,700 gram weight and 82% light transmission.
 - 4) The greenhouse structure will be ventilated by: One (1) each Acme DCA24E one speed Exhaust Fan – 1/4 Hp, 115v, single phase; (2) each Acme DCA36H one speed Exhaust Fans – 3/4 hp, 115v, single phase. Exhaust fans shall be complete with automatic aluminum shutters, aluminum prop and orifice, belt tighteners, slant wall housing, and inlet and outlet guards. 22,059 CFM is required based upon the design standards of a minimum of 9.5 CFM per square foot, maximum interior light intensity of 5,000 foot candles, 7 degree F pad to fan temperature variation and less than 1,000 feet elevation. First stage ventilation and/or de-humidification is via DCA24E one speed exhaust fan and one (1) each WAAC4040MT upper truss shutter.

For inlet air entrance the following Acme motorized shutters will be provided: Six (6) Acme WAAC5151MT motorized shutters, 115 volt. Note: shutter length is approximately 25'6" long, Kool Cel system length is 30'. Greenhouse installer to space out the shutters to 30' long.

SECTION 110113

Included will be LS Econet 2777 insect screen with pre-formed galvanized Rails, Wiggle Wire and hardware at the Kool Cel shutters and upper truss shutter.

Air Circulation system will consist of: Four (4) Schaefer VK20 Plant Air Fans with two (2) MSC variable speed controllers.

Evaporative Pad Cooling System will consist of one (1) 30' Acme Kool-Cel system with CAEG extruded distribution and return. System includes: Thirty (30) 4" x 12" x 48" Kool-Cel Pads with one edge Black Diamond coating; One (1) plumbing package; One (1) #20S submersible pump, 115-volt; One (1) In Line Tank and wrap around kit; One (1) Rojo Valve; 30' Conley's Kool-Cel pad mounts.

- 5) Internal Retractable Shade/Heat Retention System will include a motorized shade and a heat retention system consisting of one (1) 30' x 60' Conley's shade system, interior (slope-flat-slope), complete with one (1) one (1) Wadsworth VC-2000/ILS motor and gearbox with Wadsworth LST curtain system control for motor drive. System will be complete with the LS Harmony 4647 FR environmental screen.
- 6) The heating system will include: Two (2) Modine Model PTP250S High Efficiency Unit Heaters. Unit heaters to have stainless heat exchangers. Two (2) sets of hanger kits and double-wall, Class B flue pipe stacking. Unit heaters will be set for natural gas, 115-volt, single phase
- 7) Environmental controls will include: One (1) Wadsworth VersiSTEP control system; One (1) Wadsworth custom contactor panel; One (1) Wadsworth VeriSTEP Control designed and engineered drawings; One (1) day on-site visit by Art O'Hare from Wadsworth for commissioning and training; One (1) outdoor temperature sensor with solar shroud; One (1) Wadsworth Aspirator module for temperature and RH; One (1) Wadsworth Self powered nW light sensor; One (1) Wadsworth STEPsaver Software system. Note computer, printer etc to be provided by the school district. Ethernet Alarm Manager Model M-5820. 100 L.Ft. Cable 4-PR shielded #22 AWG – aspirator. 300 L.Ft. Cable 1-PR shielded #20 AWG. Included will be Boat board for mounting controls.
- 8) H.I.D. CROP LIGHTING Included are 4 each PL Light model HSE NXT-LP (MH) for lettuce 1,000 watt. 240 volt, single phase, with chain mounting hardware, 6' cord set with straight plugs (no glass lens). Included are 4 each PL Light model HSE NXT-LP (HPS) for tomato/cucumber 1,000 watt. 240 volt, single phase, with chain mounting hardware, 6' cord set with straight plugs (no glass lens). Included are 2 each PL HortiLED Top PPF 150 angle, 240 volt, single phase. Included are 2 each 6' Ledtop cords with whip end.
- 9) NFT & DUTCH BUCKET HYDROPONIC SYSTEM. Two (2) each AmHydro 312HL NFT Hydro-Trough system. Unit measures 12' L x 3' w x 3' H with four (4) finishing channels with 72 plant sites and 1 NFT nursery site. Two (2) each 210VC Tomato/Vine System. 10 each 10"x12"x9" Dutch Buckets – 20 planting sites.

SECTION 110113

- 10) ROLLING, STATIONARY BENCHES, WORK TABLES Five (5) 6' x 12' Stationary Hummert Benches. Benches feature 13-gauge $\frac{3}{4}$ " hex-expanded metal bench tops, legs are complete with X-bracing and have adjustable metal feet to set on the slab. Three (3) 6' x 12' Hummert Rolling Benches. Benches feature 13-gauge $\frac{3}{4}$ " hex-expanded metal One (1) Ebb and Flow Bench 6' x 12' with tank and pump. Two (2) Hummert Work Tables 30" x 60" with stainless steel tops and lower shelves. Four (4) rows 60' each hanging basket pipe
- 11) IRRIGATION, MISTING, AND INJECTOR Materials are included for an irrigation system for: One (1) 6'x12' stationary bench set for mist propagation One (1) 6'x12' stationary bench set for overhead sprinkler irrigation One (1) 6' x 12' stationary bench set for drip irrigation One (1) 6'x12' stationary bench set for Cap Mat II capillary matting with drip hose, Loc sleeve fittings Included four (4) runs 60' swedge tube. Two runs to have with Netafim drippers with hardware and two runs to have hand watering for hanging baskets Four (4) benches to have hand watering The mist bench uses 4 DTG white nozzles on 2' on centers, starting 3' from the end of the bench. The mist nozzles sit atop an 18" rise and nozzle adapter. The riser threads into a tee that slips into a $\frac{3}{4}$ " poly pipe. The irrigation benches are set up in the same way as the mist bench but use 3 each Pin Perfect nozzles. The rolling benches are designed for drip irrigation for small pots. Each bench has three rows of 16mm poly pipe connected at the head of the bench. Also included is one (1) Dosmatic Superdos 30 injector with tank, lid and dolly. Pots will be irrigated by 18 each Netafim 4-way multi-outlet drippers per bench. Hanging baskets will be irrigated by Netafim hanging basket drippers, attached to 16mm pipe hanging overhead. A main copper pipe is normally installed at the sidewall of the house with tees and manual gate valves at each bench location. The copper pipe is installed at bench height. A line shall be installed to run overhead at the endwall truss for access by the hanging baskets valve and head assembly.

SECTION 110113

PART 3 EXECUTION

3.01 DELIVERY, STORAGE AND HANDLING

- A. All equipment shall be packaged in a manner to preclude any damage from the weather, humidity and temperature variations, dirt and dust, or other contaminants during transportation or storage.
- B. All equipment shall be provided in the manufacturer's original sealed packaging and shall be clearly marked with the project name and number;

Greenhouse Project– 2019-006
- C. All materials must be off loaded at the site.

3.02 INSTALLATION

- A. Successful bidder will complete assembly, installation and appropriate startup and testing.
- B. Product must be delivered, installed, and invoiced by June 30, 2019.

END OF SECTION